

VORWERK flooring ESSENTIAL LINE ★

VORWERK flooring **SUPERIOR LINE ★★**

VORWERK flooring EXCLUSIVE LINE ★★★

3 PRODUKTLINIEN. 3 STILWELTEN. MILLIONEN VON MÖGLICHKEITEN.

3 PRODUCT LINES. 3 STYLE WORLDS. MILLIONS OF POSSIBILITIES.



VORWERK flooring

## **SUPERIOR LINE ★★**

**SUPERIOR 1051 | 1053 | 1054**  

 *Broadloom*

  *Acoustic carpet tile*



EINZIGARTIGE BODENBELÄGE *seit 1883.*  
UNIQUE FLOOR COVERINGS *since 1883.*

## IT'S A SUPERIOR 1051, 1053 AND 1054! WHEN IT NOT ONLY WITHSTANDS DIRT, BUT ALSO THE SUN.



1. The solution-dyed fibres, made of tuft-patterned loops, withstand even the most stubborn stains and, at the same time, are resistant against strong cleaning and bleaching agents. The robust solution-dyed yarn stands out with its high light fastness and can also be produced in single batches for large commercial spaces.
2. With highest-durability ECONYL® fibres to please the environment for many years, as the top material is made of 100% recycled material, such as from discarded fishnets. This has earned it four quality labels: CE, Green Label Plus, GUT and Bestnote of A+ for low room emissions (VOC).
3. The dimensionally stable, bitumen- and PVC-free acoustic tile, with significantly enhanced sound absorption and acoustic values, sets new standards in the market.

### IT'S A VORWERK! WHEN THE ALL-INCLUSIVE DELIVERY PROMISE IS KEPT.



#### 1 Our 1<sup>st</sup> delivery promise:

We at Vorwerk flooring promise that we will ship out all **in-stock items** of up to **50 square metres** within **three days**, and up to **600 square metres** within **three weeks** (tuft) or **four weeks** (woven and tiles) after receipt of the order.



1



#### 2 Our 2<sup>nd</sup> delivery promise:

We at Vorwerk flooring promise that we will ship out orders of up to **300 square metres** within **three days** after receipt of the order.



2



#### 3 Our 3<sup>rd</sup> delivery promise:

We at Vorwerk flooring promise that we will provide a **delivery date** and **minimum quantity** after **three days** at the latest for **non-stock items, custom quantities or special colours, and special construction designs** within **eight days**.



3

Take us at our word.



Superior 1051, Design D1062 | 9G11

# NATURE | Design

## SUPERIOR 1053

DESIGN D1001



*Inspired by nature.  
Interpreted by Vorwerk.*



Superior 1053, Design D1001 | 9G12, Rapport: approx. w 80 x l 80 cm



9G12



9G13



# CLASSIC | Design

## SUPERIOR 1054

DESIGN D1069



*Stylish at home and timeless.  
Interpreted by Vorwerk.*




Superior 1054, Design D1069 | 5X46, Rapport: approx. w 80 x l 80 cm



5X46




5X48



3Q34



9G14



9G15



# CLASSIC | Design

## SUPERIOR 1054


DESIGN D1070




*Stylish at home and timeless.  
Interpreted by Vorwerk.*



Superior 1054, Design D1070 | 3Q35, Rapport: approx. w 80 x l 160 cm



3Q35




3Q36



5X49



9G16



9G17



# CLASSIC | Design

## SUPERIOR 1051

DESIGN D1064



*Stylish at home and timeless.  
Interpreted by Vorwerk.*



Superior 1051, Design D1064 | 9G08, Rapport: approx. w 80 x l 80 cm



9G08



9G06



9G07



# CLASSIC | Design

## SUPERIOR 1051


DESIGN D1062




*Stylish at home and timeless.  
Interpreted by Vorwerk.*



Superior 1051, Design D1062 | 9G11, Rapport: approx. w 80 x l 80 cm




9G11



9G10



5X47



9G09



3Q33





# ART | Design

## SUPERIOR 1051


DESIGN D1060



*Award-winning, limited  
and simply unique.  
Interpreted by Vorwerk.*




Superior 1051, Design D1060 | 9G03, Rapport: approx. w 80 x l 80 cm



9G03



9G04



9G05



# ART | Design

## SUPERIOR 1051


DESIGN D1059



*Award-winning, limited  
and simply unique.  
Interpreted by Vorwerk.*



Superior 1051, Design D1059 | 9G01, Rapport: approx. w 80 x l 80 cm



9G01



9G02





Superior 1053 SL Sonic, Design D1001 | 9G12, Rapport: approx. w 80 x l 80 cm



Superior 1054 SL Sonic, Design D1069 | 5X46, Rapport: approx. w 80 x l 80 cm





Superior 1054 SL Sonic, Design D1070 | 3Q35, Rapport: approx. w 80 x l 160 cm



Superior 1051 SL Sonic, Design D1064 | 9G08, Rapport: approx. w 80 x l 80 cm


















































Superior 1051 SL Sonic, Design D1062 | 9G11, Rapport: approx. w 80 x l 80 cm



Superior 1051 SL Sonic, Design D1062 | 9G11, Rapport: approx. w 80 x l 80 cm





SUPERIOR 1051, 1053 AND 1054 TECHNICAL INFORMATION	1051		1053		1054							
	 Broadloom	 Acoustic carpet tile Sonic	 Broadloom	 Acoustic carpet tile Sonic	 Broadloom	 Acoustic carpet tile Sonic						
Construction	1/12" Tufted loop pile, yarn dyed, solution dyed, tuft patterned		1/12" Tufted loop pile, yarn dyed, solution dyed, tuft patterned		1/12" Tufted loop pile, yarn dyed, solution dyed, tip-sheared							
Pile material	100% PA 6, ECONYL		100% PA 6, ECONYL		100% PA 6, ECONYL							
Formats	approx. 400 cm	50 x 50 cm	approx. 400 cm	50 x 50 cm	approx. 400 cm	50 x 50 cm						
Durability rating	EN 1307	extreme 33	extreme 33	extreme 33	extreme 33	extreme 33						
Number of tufts	EN 1307	approx. 2726 dm <sup>2</sup>	approx. 2444 dm <sup>2</sup>	approx. 2444 dm <sup>2</sup>	approx. 2726 dm <sup>2</sup>	approx. 2726 dm <sup>2</sup>						
Total thickness	EN 1307	approx. 5.7 mm	approx. 9.0 mm	approx. 6.4 mm	approx. 9.2 mm	approx. 5.7 mm	approx. 9.0 mm					
Pile weight	EN 1307	approx. 850 g/m <sup>2</sup>	approx. 850 g/m <sup>2</sup>	approx. 850 g/m <sup>2</sup>	approx. 850 g/m <sup>2</sup>	approx. 850 g/m <sup>2</sup>						
Total weight	EN 1307	approx. 1850 g/m <sup>2</sup>	approx. 4050 g/m <sup>2</sup>	approx. 1870 g/m <sup>2</sup>	approx. 4080 g/m <sup>2</sup>	approx. 1815 g/m <sup>2</sup>	approx. 3950 g/m <sup>2</sup>					
Fire rating	DIN EN 13501-1	C <sub>fi</sub> -s1	B <sub>fi</sub> -s1	C <sub>fi</sub> -s1	B <sub>fi</sub> -s1	C <sub>fi</sub> -s1	B <sub>fi</sub> -s1					
Impact noise insulation	DIN EN ISO 10140	24 dB	26 dB	24 dB	28 dB	24 dB	26 dB					
Sound absorption	DIN EN ISO 354	α <sub>w</sub> : 0.15	α <sub>w</sub> : 0.25	α <sub>w</sub> : 0.15	α <sub>w</sub> : 0.30	α <sub>w</sub> : 0.15	α <sub>w</sub> : 0.25					
Additional properties												
	 Vorwerk & Co. Teppichwerke GmbH & Co. KG Kuhlmannstrasse 11 D - 31785 Hameln Tuftingartikel PA mit Textiltrücken EN 1307 DOP: 1062#2+6/509+508      EN 14041: 2004/AC:2006 1658 Textile floor covering to be used within a building		 Vorwerk & Co. Teppichwerke GmbH & Co. KG Kuhlmannstrasse 11 D - 31785 Hameln SL/SL Sonic EN 1307 DOP: 1062#12+13/527+528      EN 14041: 2004/AC:2006 1658 Textile floor covering to be used within a building		 Vorwerk & Co. Teppichwerke GmbH & Co. KG Kuhlmannstrasse 11 D - 31785 Hameln Tuftingartikel PA mit Textiltrücken EN 1307 DOP: 1062#2+6/509+508      EN 14041: 2004/AC:2006 1658 Textile floor covering to be used within a building		 Vorwerk & Co. Teppichwerke GmbH & Co. KG Kuhlmannstrasse 11 D - 31785 Hameln SL/SL Sonic EN 1307 DOP: 1062#12+13/527+528      EN 14041: 2004/AC:2006 1658 Textile floor covering to be used within a building		 Vorwerk & Co. Teppichwerke GmbH & Co. KG Kuhlmannstrasse 11 D - 31785 Hameln Tuftingartikel PA mit Textiltrücken EN 1307 DOP: 1062#2+6/509+508      EN 14041: 2004/AC:2006 1658 Textile floor covering to be used within a building		 Vorwerk & Co. Teppichwerke GmbH & Co. KG Kuhlmannstrasse 11 D - 31785 Hameln SL/SL Sonic EN 1307 DOP: 1062#12+13/527+528      EN 14041: 2004/AC:2006 1658 Textile floor covering to be used within a building	
In the course of constant further development and quality improvement, we reserve the right to change technical data without prior notice. Technical data sheets, installation instructions, recommendations for cleaning, care and maintenance and texts for tenders can be found at: <a href="http://www.vorwerk-flooring.com">www.vorwerk-flooring.com</a>												



**Vorwerk & Co. Teppichwerke GmbH & Co. KG**  
 Kuhlmannstrasse 11  
 31785 Hameln  
 Germany

**Telephone:**  
 +49 (0) 5151 1030  
**Telephone sales + sample service:**  
 +49 (0) 5151 103 734  
[info@vorwerk-teppich.de](mailto:info@vorwerk-teppich.de)  
[www.vorwerk-flooring.com](http://www.vorwerk-flooring.com)

VKF-Nr. 907252 05/19

